



22M/MT FOLDABLE TABLES

Tables in multiple top shapes that fold and store easily. The line has two leg configurations, one with adjustable heights from early childhood to wheelchair-accessible.

FEATURES

- Unitized frame offers a longer lasting table that doesn't rely on the top for its strength. Holds up to the rigors of today's school environment.
- Folded tables easily clear standard 7' door frame.



- Designed to store flat, one table is about 10" in width, each additional table adds 9" to the nested depth. See dimensional drawings on page 6.
- Our height-variable models have legs that adjust in 1" increments from 25" to 31" high.

These are suitable for early childhood to wheelchair-accessible sites.

It is recommended that you order in your preferred height; while field adjustable, it is easiest for our team to prepare your table to order.

FRAME

- Tables are built with a self-supporting unitized frame design, with all critical parts



attached to the frame, not the table top.


- Table sides fold flat for compact storage. Framework completely enclosed for safety.
- Center Latches are accessible from either side of table. Two-stage latches have safety stop and in-use positions for safer table operation.

Latches are steel for safety and long life. They are located where they cannot be accidentally opened or knocked out of adjustment.

- All pivot point hardware is permanent and tamper proof.

Nylon bushings are used at all critical pivot points, with no metal-to-metal contact.

- Tables fold together in a single motion from either side.
- All shapes have a full perimeter 16-gauge steel channel apron.
- 22M models have 1" diameter 14-gauge mechanical steel tubing for the end leg assembly.
- 22MT models have a 1" x 2" rectangular 14-gauge mechanical steel tubing for end leg assembly.



Field adjustable height: 25", 29", 30" or 31" table height options.



- All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring and scratching. The metal finish is a baked-on, lightly textured polyester powder coating.

LEGS AND CASTERS

- All tables are designed with legs that have rubber crutch tips (22M) or non-marking glides (22MT). Tables do not roll when fully opened.
- Casters only reach the floor when the table is folded.
- 22M tables have four 3" diameter x 1" wide non-marking Poly II gray rubber, ball-bearing swivel casters.
- 22MT tables have non-marking elastomer twin wheels with braking mechanisms. The casters are 2.4" wide, with wheels of 2.95" diameter.
- We select casters that have abrasion resistance, good impact strength, quiet operation, and rolling ease. They are non-marking and resistant to water, oil and most acids and chemicals.



COLORS/FINISHES

Frame Finishes

- Durable powder coat finish, in our standard three options, and ten custom frame colors. See our website for non-standard colors. Minimum orders apply. Upcharge may apply.



Black (BLK)



Chameleon (CHA)



Metallic Silver (MS)

Tops

- Table Tops are constructed of 3/4" M3 particle board. .030" HPL (decorative laminate) on the top side and a .02" balanced black backer on the bottom of the table core for stability and moisture resistance.
- Tabletop corners have 1/2" radius. Total table top thickness is .82".
- Custom logos are available at an upcharge.

Laminates

Group 1: Choose your colors from Wilsonart® laminates. See their website. Palmer Hamilton standards are most colors in Type 335 laminate and finish type ending in -38 or -60. Exceptions apply, including colors that begin with "Y" or end with K-38 or K-60.

Tables fold flat for compact storage: six tables require less than 5'x8' footprint.



Group 2: Standard Pionite®, Nevamar®, and Formica® laminates, and non-standard Wilsonart® laminates Type 335 and 107 Recycled Content, and finish types not ending in -38 or -60.

Group 3: Wilsonart® Specialty Types 136 / 137 Chalkboard Laminates, and premium Aborite®, Pionite®, Nevamar®, and Formica®

Group 4: Non-Standard Premium Wilsonart® Laminate Types 362 (VDL, Y-Type), 156/336 (Markerboard), 376-HD / 366 Wilsonart® HD, and 515 Compact Laminate.

All premium laminates are subject to an upcharge.

Edges

- Standard is EdgeGuard™, a sprayed-on polyurea eased edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper resistant. Edges stay sealed, preventing peeling and chipping.



EdgeGuard™

STORAGE FOOTPRINT

- The 22M and MT models fold flat, with less than 10" center-to-center. Add 9" for each additional table.

CERTIFICATIONS AND PERFORMANCE STANDARDS

- UL Listed – Tested by Underwriters Laboratories. These tables meet the more stringent safety standards contained in UL Standard for Safety for Folding Rollaway Tables, UL 2040.

- We have been awarded the Greenguard® and Greenguard® Gold by the Greenguard® Environmental Institute. UL GREENGUARD Certification for low chemical emission products helps demonstrate both compliance with key chemical emission standards and commitment to healthier indoor environments. Learn more about this program at: www.ul.com/services/ul-greenguard-certification. UL Greenguard lists more than 150,000 UL GREENGUARD-certified products in its online product guide. The Palmer Hamilton products are found at this link.



WARRANTY

- See Palmer Hamilton Warranty at www.palmerhamilton.com/resources/warranty

SHIPPING

- These tables ship fully assembled



SPECIFICATIONS

PART #	OVERALL PRODUCT DIMS H X W X L (IN)	SEATING CAPACITY	FOLDED HEIGHT H X W X L (IN)	PRODUCT WEIGHT (LBS)
--------	-------------------------------------	------------------	------------------------------	----------------------

ROUND

22M132972RD	29"H x 72"D	6 - 8	39 x 18 x 72	164
22M132772RD	27"H x 72"D	6 - 8	37 x 18 x 72	164
22M132960RD	29"H x 60"D	6 - 8	39 x 18 x 60	108
22M132760RD	27"H x 60"D	6 - 8	37 x 18 x 60	108
22M132948RD	29"H x 48"D	4 - 6	39 x 18 x 48	76
22M132748RD	27"H x 48"D	4 - 6	37 x 18 x 48	76

Adjustable Height (field adjusts from 25" - 31")

22M13AJ72RD	Adjust H x 72"D	6 - 8	41 x 18 x 72	168
22M13AJ60RD	Adjust H x 60"D	6 - 8	41 x 18 x 60	112
22M13AJ48RD	Adjust H x 48"D	4 - 6	41 x 18 x 48	80

SQUARE

22M132960SQ	29"H x 60"W x 60"L	8	39 x 18 x 60	99
22M132760SQ	27"H x 60"W x 60"L	8	37 x 18 x 60	99
22M132948SQ	29"H x 48"W x 48"L	4 - 8	39 x 18 x 48	87
22M132748SQ	27"H x 48"W x 48"L	4 - 8	37 x 18 x 48	87

Adjustable Height (field adjusts from 25" - 31")

22M13AJ48SQ	Adjust H x 48"W x 48"L		41 x 18 x 48	90
-------------	------------------------	--	--------------	----

HEXAGON

22M132960HX	29"H x 60"W x 60"L	6	39 x 18 x 60	106
22M132760HX	27"H x 60"W x 60"L	6	37 x 18 x 60	106
22M132948HX	9"H x 48"W x 48"L	6	37 x 18 x 48	85
22M132748HX	27"H x 48"W x 48"L	6	37 x 18 x 48	85

Adjustable Height (field adjusts from 25" - 31")

22M13AJ48HX	Adjust H x 48"W x 48"L	6	41 x 18 x 48	88
-------------	------------------------	---	--------------	----

OCTAGON

22M132964OC	29"H x 64"W x 64"L	8	39 x 18 x 64	107
22M132764OC	27"H x 64"W x 64"L	8	37 x 18 x 64	107

Adjustable Height (field adjusts from 25" - 31")

22M13AJ64OC	Adjust H x 64"W x 64"L	8	41 x 18 x 64	110
-------------	------------------------	---	--------------	-----

OVAL

22M13297260OV	29"H x 72"W x 60"L	8 - 10	40 x 18 x 72	118
22M13277260OV	27"H x 72"W x 60"L	8 - 10	38 x 18 x 72	118

ELONGATED

22M132960EL	29"H x 60"W x 70"L	8 - 10	39 x 18 x 60	120
22M132760EL	27"H x 60"W x 70"L	8 - 10	37 x 18 x 60	120
22M132948EL	29"H x 48"W x 60"L	4 - 6	39 x 18 x 48	100
22M132748EL	27"H x 48"W x 60"L	4 - 6	37 x 18 x 48	100

Adjustable Height (field adjusts from 25" - 31")

22M13AJ48EL	Adjust H x 48"W x 60"L	4 - 6	41 x 18 x 48	103
-------------	------------------------	-------	--------------	-----






Product dimensions and weights listed are approximate.



SPECIFICATIONS - T-LEG MODELS


PART #	OVERALL PRODUCT DIMS (H X W X L)	SEATING CAPACITY	FOLDED HEIGHT H X W X L	PRODUCT WEIGHT (LBS)
ROUND				
22M132960RD-MT	29" H x 60" Dia	6 - 8	39 x 15 x 60	108
22M132760RD-MT	27" H x 60" Dia	6 - 8	37 x 15 x 60	108
22M132948RD-MT	29" H x 48" Dia	4 - 6	39 x 15 x 48	76
22M132748RD-MT	27" H x 48" Dia	4 - 6	37 x 15 x 48	76
SQUARE				
22M132960SQ-MT	29" H x 60" W x 60" L	8	39 x 15 x 60	99
22M132760SQ-MT	27" H x 60" W x 60" L	8	37 x 15 x 60	99
22M132948SQ-MT	29" H x 48" W x 48" L	4 - 8	39 x 15 x 48	87
22M132748SQ-MT	27" H x 48" W x 48" L	4 - 8	37 x 15 x 48	87
HEXAGON				
22M132960HX-MT	29" H x 60" W x 60" L	6	39 x 15 x 60	106
22M132760HX-MT	27" H x 60" W x 60" L	6	37 x 15 x 60	106
22M132948HX-MT	29" H x 48" W x 48" L	6	39 x 15 x 48	85
22M132748HX-MT	27" H x 48" W x 48" L	6	37 x 15 x 48	85
OCTAGON				
22M132964OC-MT	29" H x 64" W x 64" L	8	39 x 15 x 64	107
22M132764OC-MT	27" H x 64" W x 64" L	8	37 x 15 x 64	107
OVAL				
22M13297260OV-MT	29" H x 72" W x 60" L	8 - 10	40 x 15 x 72	118
ELONGATED				
22M132960EL-MT	29" H x 60" W x 70" L	8 - 10	39 x 15 x 60	120

Product dimensions and weights listed are approximate.



FULL PRODUCT LINE


22M Models



ROUND
(27" / 29" high)
48", 60", 72"

22M132948RD
22M132748RD


22M132960RD
22M132760RD
22M132972RD
22M132772RD
22M13AJ48RD (ADJ. HT.)
22M13AJ60RD (ADJ. HT.)
22M13AJ72RD (ADJ. HT.)



SQUARE
(27" / 29" high)
48", 60"

22M132948SQ
22M132748SQ


22M132960SQ
22M132760SQ
22M13AJ48SQ (ADJ. HT.)



HEXAGON
(27" / 29" high)
48", 60"


22M132948HX
22M132748HX

22M132960HX
22M132760HX
22M13AJ48HX (ADJ. HT.)




OCTAGON
(27" / 29" high)
64"

22M132964OC
22M132764OC
22M13AJ64OC (ADJ. HT.)



OVAL
(27" / 29" high)
60" L x 72" W

22M13297260OV
22M13277260OV




ELONGATED
(27" / 29" high)
48", 60"

22M132948EL
22M132748EL


22M132960EL
22M132760EL
22M13AJ48EL (ADJ. HT.)

22MT-Leg Models




ROUND MT-LEG
(27" / 29" high)
48", 60"

22M132948RD-MT
22M132748RD-MT
22M132960RD-MT
22M132760RD-MT




SQUARE MT-LEG
(27" / 29" high)
48", 60"

22M132948SQ-MT
22M132748SQ-MT
22M132960SQ-MT
22M132760SQ-MT




HEXAGON MT-LEG
(27" / 29" high)
48", 60"

22M132948HX-MT
22M132748HX-MT
22M132960HX-MT
22M132760HX-MT




OCTAGON MT-LEG
(27" / 29" high)
64"

22M132964OC-MT
22M132764OC-MT



OVAL MT-LEG
(27" / 29" high)
60" L x 72" W

22M13297260OV-MT
22M13277260OV-MT





ELONGATED MT-LEG
(29" high)
60"

22M132960EL-MT

Product dimensions are approximate.

22M Models



STORAGE FOOTPRINT

All tables fold flat, with less than 10" center-to-center.

Add 9" for each additional table.

22MT-Leg Models

