



A strong, mobile table with built-in seating that is ideal for multiple use classrooms, cafés, and cafeterias.



SIZES / MODELS

- Two- and four-seat models in three heights: 42" bar, 30" standard table, 27" child table.
- Seats heights are: 32" for bar height tables, 20" for standard height, and 17" for child tables.
- Two-seat table top size 32" x 30", four-seat table top 32" x 51".
- Tables sized for multiple seating configurations. Tight engineering and manufacturing specifications ensure that tables line up next to each other for ease of use in scientific classrooms, fab labs and cafeterias.
- Seats swing under table tops and widths were designed for easy movement through doorways.
- Multiple top, seat, and edge options allow tables to be designed into a space with easy coordination.
- Tables have backpack/purse hooks for keep classroom and café floors uncluttered and safe.
- Options of lower shelves, kickplates and installed power hubs.

TOPS

- Standard Weight Top Construction – 1-1/4" M3 industrial grade 45# density particle board. Constructed with HPL (decorative laminate) on the top side and a balanced backer on the bottom.
- Choose your colors from Wilsonart® laminates. See their website. Palmer Hamilton standards (Group 1) are most colors in Type 335 laminate and finish type ending in -38 or -60. Exceptions apply, including colors that begin with "Y" or end with K-38 or K-60.
- Group 2: Standard Pionite®, Nevamar®, and Formica® laminates, and non-standard Wilsonart® laminates Type 335 and 107 Recycled Content, and finish types not ending in -38 or -60.
- Group 3: Wilsonart® Specialty Types 136 / 137 Chalkboard Laminates, and premium Aborite®, Pionite®, Nevamar®, and Formica®
- Group 4: Non-Standard Premium Wilsonart® Laminate Types 362 (VDL, Y-Type), 156/336 (Markerboard), 376-HD / 366 Wilsonart® HD, and 515 Compact Laminate.
- All premium laminates are subject to an upcharge. Contact Palmer Hamilton with questions.



Put tables together in multiple configurations for large or small group coordination.


- Custom logo laminates are available at an upcharge.
- Butcher Block Top – 1-1/4” thick face-glued, finger joint rails finished with a clear catalyzed lacquer. Wood consists of standard mixed hardwoods, a variation of different species containing similar color and grain patterns. Edge profile is 1/8” eased edge. Available at an upcharge.
- TOPLAB® 1” thick EB2 epoxy resin cured surface that has outstanding smoothness and is chemical, impact and scratch resistant. This is a premium top; upcharge applies.

Standard colors:



EDGES

- Standard is EdgeGuard™, a sprayed-on polyurea eased edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper resistant. Edges stay sealed, preventing peeling and chipping. Durable for many years of use.




EdgeGuard™



PVC


- Optional edge is a 3mm flat PVC edge, adhered to the particle board for a tight bond, available in fashion colors
- SMARTedge is a “gorilla tough” poured urethane edge that is not only rugged but 60% of the material consists of renewable bio-based resource. SMARTedge has antimicrobial additives which include antibacterial and antifungal properties. See our website for all edge colors.



SmartEdge

FRAME

- 16-gauge square tubing for vertical columns
- 14-gauge square formed sheet metal for base frame and rectangular tabletop framework.
- Durable powder coat finish, in our standard three options, and ten custom frame colors. See our website for colors. Minimum orders apply.



Black Textured Powdercoat




Chameleon Textured Powdercoat



Metallic Silver Powdercoat

- Wood tops are fastened to frames using self-tapping wood screws.
- Epoxy Resin TopLab tops are fastened to frames using self-tapping wood screws.
- For comfort and safety, seats are on a swivel plate, with stops built in to post to prevent seat mechanism from hitting frame.
- Seat post and foot rail to rotate in unison and fold into space under tabletop.
- Spring loaded stool tubes allows glide to contact the floor when in use.
- Bag/backpack hooks integrated into vertical columns standard on all tables.



FRAME OPTIONS

- These options are only available on bar height tables.
- 14-gauge perforated steel shelf for under table storage. Shelf will match the selected frame color.
- Raised diamond-tread pattern aluminum is used for kick plate on base frame. Available with clear or black anodized finishes. Not available with shelf.



FOOT OPTIONS

- Casters: 4" total lock casters (wheel & rotation) with non-marking rubber wheels.
- Seat post has fh rubber pad under glide that contacts floor.

SEATS

- Metal seats with durable powder coat finish are standard. These are 16-gauge, 15" diameter x 1" thick seat pan, welded to stool plate. They are available in the same color assortment as our frames, factory finished to guarantee quality. Frame upgrade fees apply.
- Upgrade to 14-1/2" diameter x 1-1/4" thick solid Beechwood seats with 1/4" radius top edge. Wood seats are available in 4 stain options.



- Also available are Butcher Block Stools. 14" diameter x 1-1/2" thick hardwood strips with 5/8" radius top and bottom edge. These have a clear, catalyzed lacquer finish.
- Stool seat weight capacity is up to 300 lbs. per stool.

POWER OPTIONS

- We are offering multiple power options for our tables, from towers to flush mounts, with electrical and electronic connectors, keeping up with industry advancements. See our website for information on current offerings.


WARRANTY

- See Palmer Hamilton Warranty at palmerhamilton.com/resources/warranty

SHIPPING

- Ships fully assembled

DIMENSIONS & SPECIFICATIONS



PART NUMBER	DIMENSIONS H x W x L (in)
-------------	------------------------------

2 seat tables

RAL23423230XXYYZZ	42 x 32 x 30
RAL23303230XXYYZZ	30 x 32 x 30
RAL23273230XXYYZZ	27 x 32 x 30

4 seat tables

RAL23423251XXYYZZ	42 x 32 x 51
RAL23303251XXYYZZ	30 x 32 x 51
RAL23273251XXYYZZ	27 x 32 x 51

See Pricer for part number description and options.