

waste and recycling RECEPTACLES

Practical and tough, our waste and recycling receptacles help keep your space neat. Sturdy framed construction, locking casters for easy cleaning mobility, and included Rubbermaid waste container and dolly compose a complete package built for a long life.



WR18-55

WR-32-MICROSELF

SIZES / MODELS

- Waste receptacles available in 20-, 32-, and 55-gallon container sizes.
- All units have top holes, swing out front door.
- 32- and 55-gallon units available with 12"W x 10"L oval or 18" square hole in top. The oval hole allows room for tray storage behind the opening.
- 32- and 55-gallon units available with microshelf.
- Recycling units have smaller 5" round hole to discourage inappropriate materials being tossed.
- All models available with flat top design, while standard model has side and back extended walls to prevent tray or waste slippage off top.



- All models available with or without the internal Rubbermaid® trash container on detachable dolly.

CONSTRUCTION

- Top: Constructed with 3/4" core laminated on top with 20 mil phenolic backer
- Side, Back and Door: 3/4" M3 industrial grade particleboard with average density of 45 P.C.F. The particleboard panel has a smooth surface for laminating. The longer core particles enhance the core strength and dimensional stability. All panels are laminated with Wilsonart® .030 high-pressure laminate for superior abrasion resistance. Meets or exceeds NEMA specifications.
- Tops are sized to hold standard trays behind waste opening. Properly sized openings prevent trays from being discarded.
- Panels are secured to the frame with #10 x 3/4" screws.

Built to withstand years of use



FRAMES

- Heavy-duty frame is a 12-gauge sheet steel frame that decreases weight while maintaining strength.
- All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring and scratching. The metal finish is baked on lightly textured polyester powder coating.



- All four mounted wheels on casters, with two front locking wheels for secure placement. 3" x 1 1/4" wide. Poly II gray rubber, ball bearing swivel casters provide excellent floor protection, abrasion resistance, high impact strength. They are non-marking and resistant to water, oil and most chemicals. Cabinets and liners move with little effort, with long-lasting casters providing easy and quiet movement for cleaning and repositioning.

LAMINATE OPTIONS

- We offer three design options.



- Option #1**
- One laminate all sides/top




- Option #2**
- Laminate 1 sides & back
 - Laminate 2 front & top



- Option #3**
- Laminate 1 – sides & back
 - Laminate 2 – top
 - Logo laminate or third color on the front



- Choose your colors from Wilsonart® laminates. See their website, **www.wilsonart.com**. Palmer Hamilton standards are most colors ending with '-38' or '-60'. Exceptions apply, including colors that begin with a 'Y' or end with a 'K-38' or 'K-60'. All premium colors are subject to an upcharge. Custom logos available at an upcharge.
- Wilsonart® Laminates are abrasion resistant and meet or exceed NEMA specifications. They are resistant to scratching, fading, and staining.
- All edges finished with EdgeGuard™. EdgeGuard is a sprayed on polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper resistant. Edges stay sealed, preventing peeling and chipping. Durable for many years of use.



CERTIFICATIONS

We have been awarded the UL GREENGUARD Gold Indoor Air Quality Certification®. for this product line. You can learn more about this program at ul.com/services/ul-greenguard-certification.



Formula 409®, Fantastik® and a soft cloth. Rinse cleaned area with water dampened cloth. Dry with a clean, non-abrasive cloth. See more information on your Wilsonart laminate at their website, www.wilsonart.com.

Maintenance of Frame

Touch up any exposed scratched metal with a Rust-Oleum spray paint.

CLEANING

All Top Surfaces - Daily Cleaning

Remove ordinary dirt and smudges with a mild soap and warm water solution. Rinse with a water dampened cloth. Dry with a clean, non-abrasive cloth.

Heavy Cleaning – Laminate

Soiling can be removed with non-abrasive household spray cleaners i.e. Windex®,


SHIPPING AND ASSEMBLY

Product will be shipped in containers and on pallets. Use care in opening and unloading materials for installation.

WARRANTY

5 year standard warranty. See our website.

DIMENSIONAL DRAWINGS



DIMENSIONS & WEIGHTS**WASTE RECEPTACLES**

Description	Part #	Included Liner (Gal)	Top Opening	Overall Product Dims H x W x D	Product Weight (lbs)	Shipping Dims H x W x L	Shipping Weight (lbs)
20 Gallon Waste Receptacle with Liner & Dolly	WR18-20	20	12" x 10" Oval	36.2" x 27.6" x 27.2"	123 lbs	36.2" x 27.6" x 27.2"	123 lbs
20 Gallon Waste Receptacle without Liner & Dolly	WR18-20-WO	None	12" X 10" Oval	36.2" x 27.6" x 27.2"	108 lbs	36.2" x 27.6" x 27.2"	108 lbs
32 Gallon Waste Receptacle with Liner & Dolly	WR18-32	32	12" x 10" Oval	42.5" x 27.2" x 27.2"	139 lbs	42.5" x 27.2" x 27.2"	139 lbs
32 Gallon Waste Receptacle without Liner & Dolly	WR18-32-WO	None	12" x 10" Oval	42.5" x 27.2" x 27.2"	124 lbs	42.5" x 27.2" x 27.2"	124 lbs
32 Gallon Waste Receptacle with Liner & Dolly	WR18-32-12x14 Hole	32	12" x 14" Oval	42.5" x 27.2" x 27.2"	139 lbs	42.5" x 27.2" x 27.2"	139 lbs
32 Gallon Waste Receptacle with Liner & Dolly	WR18-32-18" SQHole	32	18" Square	42.5" x 27.2" x 27.2"	139 lbs	42.5" x 27.2" x 27.2"	139 lbs
32 Gallon Flat Top Waste Receptacle with Liner & Dolly	WR18-32-Flattop	32 Gallon	12" x 10" Oval	42.5" x 27.2" x 27.2"	139 lbs	42.5" x 27.2" x 27.2"	139 lbs
32 Gallon with Microshelf Waste Receptacle with Liner & Dolly	WR18-32-Microshelf	32 Gallon	12" x 10" Oval	55" x 27.2" x 27.2"	165 lbs	42.5" x 27.2" x 27.2"	165 lbs
55 Gallon Waste Receptacle with Liner & Dolly	WR18-55	55 Gallon	12" x 10" Oval	46.5" x 31.6" x 30.4"	172 lbs	46.5" x 31.6" x 30.4"	172 lbs
55 Gallon Waste Receptacle without Liner & Dolly	WR18-55-WO	None	12" x 10" Oval	46.5" x 31.6" x 30.4"	157 lbs	46.5" x 31.6" x 30.4"	157 lbs
55 Gallon Waste Receptacle with Liner & Dolly	WR18-55-18" SQHole	55 Gallon	18" Square Hole	46.5" x 31.6" x 30.4"	172 lbs	46.5" x 31.6" x 30.4"	172 lbs
55 Gallon Flattop Waste Receptacle with Liner & Dolly	WR18-55-Flattop	55 Gallon	12" x 10" Oval	46.5" x 31.6" x 30.4"	172 lbs	46.5" x 31.6" x 30.4"	172 lbs
55 Gallon with Microshelf Waste Receptacle with Liner & Dolly	WR18-55-Microshelf	55 Gallon	12" x 10" Oval	59" x 31.6" x 30.4"	201 lbs	46.5" x 31.6" x 30.4"	201 lbs

DIMENSIONS & WEIGHTS
RECYCLING RECEPTACLES

Description	Part #	Included Liner (Gal)	Top Opening	Overall Product Dims H x W x D	Product Weight (lbs)	Shipping Dims H x W x L	Shipping Weight (lbs)
20 Gallon Recycling Receptacle with Liner & Dolly	RR18-20	20 Gallon	5" Round Hole	36.2" x 27.6" x 27.2"	123 lbs	36.2" x 27.6" x 27.2"	123 lbs
20 Gallon Recycling Receptacle without Liner & Dolly	RR18-20-WO	None	5" Round Hole	36.2" x 27.6" x 27.2"	108 lbs	36.2" x 27.6" x 27.2"	108 lbs
32 Gallon Recycling Receptacle with Liner & Dolly	RR18-32	32 Gallon	5" Round Hole	42.5" x 27.2" x 27.2"	139 lbs	42.5" x 27.2" x 27.2"	139 lbs
32 Gallon Recycling Receptacle without Liner & Dolly	RR18-32-WO	None	5" Round Hole	42.5" x 27.2" x 27.2"	124 lbs	42.5" x 27.2" x 27.2"	124 lbs
55 Gallon Recycling Receptacle with Liner & Dolly	RR18-55	55 Gallon	5" Round Hole	46.5" x 31.6" x 30.4"	172 lbs	46.5" x 31.6" x 30.4"	172 lbs
55 Gallon Recycling Receptacle without Liner & Dolly	RR18-55-WO	None	5" Round Hole	46.5" x 31.6" x 30.4"	157 lbs	46.5" x 31.6" x 30.4"	157 lbs