


METHOD

Sleek design, comfortable, and affordable multi-use chairs in heights for all uses.



STACKING CHAIRS

TASK CHAIRS

STACKING CHAIRS

Seat Construction

- Seats are single-piece, injection molded from special high impact, blush resistant polypropylene plastic.
- Textured surface is lightly etched to provide a non-slip surface.
- The shell is attached to the frame with four screws and bolts.

Frame

- 4-Leg Stack Chair frames are formed with 1" diameter, 18 gauge steel. Stack up to 8 chairs of like sizes.
- 4-Leg Bar Stool frames are formed with 1" diameter, 16 gauge steel. Cross bars are .5" diameter, 18 gauge steel.
- All 4-leg chairs have a glide attachment with a standard internal gripping spring to fit the 1" outside diameter tubing. The glide has a ferrule glide casing constructed




- of durable case hardened steel. All glides make full level contact with the floor.
- Felt pads are available for floor protection.

Size Options

- Stackable frames are available in three sizes, from elementary to adult seat heights: 14", 16", and 18".
- Pub chairs have seat height of 28".

Colors/Finishes

Frame Finish




Chrome

Seats



Graphite



Black



Navy



TASK CHAIRS

Seat Construction

- Seats are single-piece, injection molded from special high impact, blush resistant polypropylene plastic.
- Textured surface is etched to provide a non-slip surface.
- The shell is attached to the frame at the base and control assembly.

Frame

- 5-Star base is made of reinforced nylon and receives the adjustable column assembly and casters.




- 5-Star bases have nylon dual-wheel hard casters.
- The adjustable seats come with a 300N black pneumatic cylinder that adjusts the chair's seat height from 16.5" to 21.5". The stool version adjusts the chair's seat from 23" to 33".

- The control assembly is a control bracket made of a single formed 12 gauge steel bracket bolted to a die cast aluminum control with four (4) 5/16-18 x 1.375" long bolts.
- The stool has an adjustable 24" diameter foot ring attached to the column assembly


Colors/Finishes

Frame Finish



Black
(Foot ring on tall models is chrome)

Seats




Black

SPECIFICATIONS

MODEL NUMBER	DESCRIPTION	SEAT HEIGHT (in)	DIMENSIONS H x W x L (in)	PRODUCT WEIGHT (lbs)
STACKING CHAIRS				
METHOD-14B	4-leg chair, 14" high	14	24.25 x 15.55 x 29.33	5.83
METHOD-16A	4-leg chair, 16" high	16	31.50 x 19.29 x 37.05	8.84
METHOD-18A	4-leg chair, 18" high	18	33.74 x 19.45 x 38.27	9.39
METHOD-28A	4-leg pub chair, 28" high	28	42.65 x 19.47 x 39.24	12.56
TASK CHAIRS				
PL-HIER-CHAIR	5-star base chair - standard height	16.5 - 21.5	31.5 - 36.5 x 24 x 24	20
PL-HIER-STOOL	5-star base stool - pub height	23 - 33	38 - 48 x 24 x 24	23.5

DIMENSIONAL DRAWINGS



WEIGHT CAPACITY

All chairs meet BIFMA standards of 275 lb per person weight capacity.

WARRANTY

5 year standard warranty. See our website.

SHIPPING

4-Leg chairs ship assembled. 5-Star chair and stools ship KD.